

Specification sheets

Power bollard MORANO GS



Additional information

Power bollard MORANO GS

60.14401.0 GS 0

Power bollard MORANO GS

2 access doors and cable exit for closed-door operation

==> WITHOUT electrical equipment

Housing of galvanised steel

Aluminium cap

Aboveground height is 1215 mm

Diameter: 245 mm

With flange plate

Separate embedded base with 2 openings for cable entry

Electrical assembly plate for customer equipping

(to be mounted to separate embedded base)

All doors provided with cylinder lock for safety + security

Colour:RAL/HESS-DB+Glimmer (to be specified)


(Powder coating not possible)



Additional information

Power bollard MORANO GS

Drawings



Downloads

Drawings: [Morano_SM.png](#)
Catalogue page: [HESS_MORANO_vs_EN.pdf](#)

Corresponding products

Power bollard MORANO GS



Benches SANTARI

http://www.hess.eu/en/Produkte/Produkte_Stadtmobiliar/Baenke/SANTARI/



Outdoor lighting SOMBRA 1 SINGLE

http://www.hess.eu/en/Produkte/Produkte_Leuchten/Systemleuchten/SOMBRA_1_EINFACH/



Outdoor lighting SOMBRA 2 TRIPLE

http://www.hess.eu/en/Produkte/Produkte_Leuchten/Systemleuchten/SOMBRA_2_DREIFACH/

www.hess.eu

© Hess AG
11. June 2012

.hess