

## Specification sheets

### Water bollard MORANO W 1



## Additional information

### Water bollard MORANO W 1

60.14410.0 W 1

Water bollard MORANO W 1

2 access doors and cable exit for open-door operation

Housing of galvanised steel

Aluminium cap

Aboveground height is 1215 mm

Diameter: 245 mm

With flange plate

Separate embedded base with 2 openings for water lines

All doors provided with cylinder lock for safety + security

Colour:RAL/HESS-DB+Glimmer (to be specified)

(Powder coating not possible)

Factory provided equipment:

Compartment 1:

2 x 3/4" water faucets, each matt chrome-plated

with straight breather and faucet handle

2 x 3/4" water meters

Compartment 2:

1 x 5/4" slanted shut-off seat valve


with backwater closure and drain valve



## Additional information

### Water bollard MORANO W 1

#### Drawings



#### Downloads

Drawings:

[Morano\\_SM.png](#)

Catalogue page:

[HESS\\_MORANO\\_vs\\_EN.pdf](#)

## Corresponding products

### Water bollard MORANO W 1



Benches SANTARI

[http://www.hess.eu/en/Produkte/Produkte\\_Stadtmobiliar/Baenke/SANTARI/](http://www.hess.eu/en/Produkte/Produkte_Stadtmobiliar/Baenke/SANTARI/)



Outdoor lighting SOMBRA 1 SINGLE

[http://www.hess.eu/en/Produkte/Produkte\\_Leuchten/Systemleuchten/SOMBRA\\_1\\_EINFACH/](http://www.hess.eu/en/Produkte/Produkte_Leuchten/Systemleuchten/SOMBRA_1_EINFACH/)



Outdoor lighting SOMBRA 2 TRIPLE

[http://www.hess.eu/en/Produkte/Produkte\\_Leuchten/Systemleuchten/SOMBRA\\_2\\_DREIFACH/](http://www.hess.eu/en/Produkte/Produkte_Leuchten/Systemleuchten/SOMBRA_2_DREIFACH/)

www.hess.eu

© Hess AG  
15. June 2012